

Clinical Endocrinology

Edited by
R. N. Clayton and
J. A. H. Wass

Editorial Assistant
W. F. Kelly

Volume 34
1991

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE PARIS BERLIN VIENNA

© 1991 Blackwell Scientific Publications Ltd. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Scientific Publications Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$05.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. 0300-0664/91/\$05.00.

Blackwell Scientific Publications
Oxford London Edinburgh Boston
Melbourne Paris Berlin Vienna

ISSN 0300-0664

Printed in Great Britain at The Alden Press, Oxford

Contents

Volume 34, Number 1, January 1991

1 Editorial

- 3 **Commentary** Heterogeneity of growth hormone production in human pituitary cells: J. R. E. DAVIS
- 5 The relationship between growth hormone (GH) messenger ribonucleic acid levels and hormone release from individual cells derived from human GH-secreting pituitary adenomas: L. J. HOFLAND, B. VELKENIERS, P. M. VAN KOETSVELD, E. L. HOOGHE-PETERS and S. W. J. LAMBERTS
- 13 The pituitary gland is capable of responding to two successive doses of growth hormone releasing hormone (GHRH): D. SURI, P. C. HINDMARSH, D. R. MATTHEWS, C. E. BRAIN and C. G. D. BROOK
- 19 Circulating levels of inhibin in pregnant women at term: simultaneous disappearance with oestradiol and progesterone after delivery: L. M. KETTEL, S. J. ROSEFF, M. L. BANGAH, H. G. BURGER and S. S. C. YEN
- 25 Effect of the new dopaminergic agonist CV 205-502 on plasma levels and tumour size in bromocriptine-resistant prolactinomas: L. DURANTEAU, P. CHANSON, A. LAVOINNE, S. HORLAIT, J. LUBETZKI and J. M. KUHN
- 31 Testosterone-secreting virilizing adrenal adenoma with human chorionic gonadotrophin receptors and 21-hydroxylase deficiency: P. LEINONEN, T. RANTA, R. SIEGBERG, R. PELKONEN, P. HEIKKILÄ and A. KAHRI
- 37 The relationship between sex steroids and bone mineral content in women soon after the menopause: T. D. SPECTOR, P. W. THOMPSON, L. A. PERRY, H. H. MCGARRIGLE and A. C. EDWARDS
- 43 The pathogenesis of the ovarian hyperstimulation syndrome (OHS): a possible role for ovarian renin: A. C. M. ONG, V. EISEN, D. P. RENNIE, R. HOMBURG, G. C. LACHELIN, H. S. JACOBS and J. D. H. SLATER
- 51 Corticotrophin releasing hormone (CRH₁₋₄₁) stimulates the secretion of adrenocorticotrophin, vasopressin and oxytocin but not adrenocorticotrophin precursors: evidence from petrosal sinus sampling in man: S. S. NUSSEY, S. R. PAGE, D. B. PETERSON, J. BYRNE, S. R. CROSBY, A. WHITE, V. T. Y. ANG, R. JACKSON and J. S. JENKINS
- 57 Genetic differences shown by HLA typing among Japanese patients with euthyroid Graves' ophthalmopathy, Graves' disease and Hashimoto's

thyroiditis: genetic characteristics of euthyroid

Graves' ophthalmopathy: DAISUKE INOUE, KAORU SATO, MASAHIRO MAEDA, HIDETOSHI INOKO, KIMIYOSHI TSUJI, TORU MORI and HIROO IMURA

- 63 Use of ketoconazole in the treatment of Cushing's disease and ectopic ACTH syndrome: A. TABARIN, A. NAVARRANNE, J. GUÉRIN, J.-B. CORCUFF, M. PARNEIX and P. ROGER
- 71 Long-term follow-up of treatment of thyrotoxicosis by three different methods: J. A. FRANKLYN, J. DAYKIN, Z. DROLIC, M. FARMER and M. C. SHEPPARD
- 77 Prevalence and follow-up of abnormal thyrotrophin (TSH) concentrations in the elderly in the United Kingdom: J. V. PARLE, J. A. FRANKLYN, K. W. CROSS, S. C. JONES and M. C. SHEPPARD
- 85 Increased growth hormone response to growth hormone releasing hormone induced by erythropoietin in uraemic patients: L. CANTALAMESSA, L. CREMAGNANI, A. ORSATTI, L. VIGNA and G. BUCCIANTI
- 91 **Review** Thyroid disease in relation to pregnancy: J. H. LAZARUS and S. OTHMAN
- 99 **Book reviews**
- 102 **Clinical Endocrinology Trust and study grants**

Volume 34, Number 2, February 1991

Symposium on Endocrinology and Molecular Biology

- 103 **Commentary** Thyroxine replacement therapy: A. D. TOFT
- 107 Allgrove syndrome: an autosomal recessive syndrome of ACTH insensitivity, achalasia and alacrima: P. S. J. MOORE, R. M. COUCH, Y. S. PERRY, E. P. SHUCKETT and J. S. D. WINTER
- 115 Thyroxine replacement in post-radioiodine hypothyroidism: C. P. BEARCROFT, G. C. TOMS, S. J. WILLIAMS, K. NOONAN and J. P. MONSON
- 119 A long-term dose-response study of somatostatin analogue (SMS 201-995, octreotide) in resistant acromegaly: J. A. MCKNIGHT, D. R. MCCANCE, B. SHERIDAN, E. MCILRATH, D. R. HADDEN, L. KENNEDY and A. BREW ATKINSON
- 127 The diagnosis of polycystic ovaries in women with oligo-amenorrhoea: predictive power of endocrine tests: R. FOX, E. CORRIGAN, P. A. THOMAS and M. G. R. HULL

- 133 High permanent plasma adrenaline levels: a marker of adrenal medullary disease in medullary thyroid carcinoma: R. VISTELLE, H. GRULET, C. GIBOLD, B. CHAUFOUR-HIGEL, B. DELEMER, R. FAY, M. J. DELISLE and J. CARON
- 139 Metabolic effects of pharmacological adrenergic blockade in pheochromocytoma: A. J. KRENTZ, P. J. HALE, P. M. HORROCKS, K. E. HESLOP, D. G. JOHNSTON, A. D. WRIGHT and M. NATTRASS
- 147 Heterogeneity of circulating TSH-receptor antibodies in thyroid disease demonstrated directly by chromatography: J. WORTHINGTON, P. G. H. BYFIELD and R. L. HIMSWORTH
- 155 **Current therapy** The treatment of hypercalcaemia of malignancy: D. HEATH
- 159 **Review** Insulin action 1991: R. TAYLOR

Volume 34, Number 3, March 1991

- 173 **Commentary** Should dopamine agonist treatment for prolactinomas be life-long?: G. FAGLIA
- 175 Withdrawal of bromocriptine after long-term therapy of macroprolactinomas; effect on plasma prolactin and tumour size: J. W. VAN'T VERLAAT and R. J. M. CROUGHS
- 179 Iodine intake and the seasonal incidence of thyrotoxicosis in New Zealand: H. C. FORD, L. A. JOHNSON, C. M. FEEK and J. D. NEWTON
- 183 Role of peripherally infused angiotensin II on the human hypothalamic-pituitary-adrenal axis: A. E. CALOGERO, M. C. FORNITO, A. ALIFFI, E. VICARI, M. L. MONCADA, F. MANTERO, P. POLOSA and R. D'AGATA
- 187 Growth hormone, insulin-like growth factor I, insulin and C-peptide during human fetal life: in-utero study: S. SALARDI, L. F. ORSINI, E. CACCIARI, F. RIGHETTI, S. DONATI, M. MANDINI, A. CICOGNANI and L. BOVICELLI
- 191 Gonadotrophin releasing hormone agonist suppressive treatment of ovarian function decreases serum LH- β and bioactive LH but maintains elevated levels of LH- α : A. LEMAY and M. LOURDUSAMY
- 197 Intravenous aminobisphosphonate in Paget's disease: clinical, biochemical, histomorphometric and radiological responses: A. J. FENTON, D. H. GUTTERIDGE, G. N. KENT, R. I. PRICE, R. W. RETALLACK, C. I. BHAGAT, G. K. WORTH, R. I. THOMPSON, I. G. WATSON, C. BARRY-WALSH and L. R. MATZ

- 205 Effect of growth hormone therapy on thyroid status of girls with Turner's syndrome: G. MASSA, F. DE ZEGHER and M. VANDERSCHUEREN-LODEWEYCKX
- 211 Abnormalities in fasting circulating proinsulin concentration in mild gestational diabetes: A. DORNHORST, M. DAVIES, V. ANYAOKU, S. M. HAMPTON, R. S. ELKELES, R. W. BEARD and D. G. JOHNSTON
- 215 Episodic ACTH and cortisol secretion in normal children: W. H. B. WALLACE, E. C. CROWNE, S. M. SHALET, C. MOORE, S. GIBSON, M. D. LITTLE and A. WHITE
- 223 The impact of ovarian laser surgery on the gonadotrophin secretion in women with polycystic ovarian disease: W. G. ROSSMANITH, J. KECKSTEIN, K. SPATZIER and C. LAURITZEN
- 231 **Current therapy** Management of prolactinomas: D. CUNNAH and M. BESSER
- 237 **Review** Syndromes of thyroid hormone resistance: J. A. FRANKLYN
- 247 **Book reviews**
- 248 **Notices**

Volume 34, Number 4, April 1991

- 249 **Commentary** Molecular genetics of hypochondroplasia: R. V. THAKKER
- 253 The relation between pharmacokinetics and endocrine effects of buserelin implants in patients with mastalgia: J. G. M. KLIJN, B. VAN GEEL, F. H. DE JONG, J. SANDOW and B. KRAUSS
- 259 Attenuation of gonadotrophin release and reserve in superovulated women by gonadotrophin surge attenuating factor (GnSAF): I. E. MESSINIS and A. TEMPLETON
- 265 Growth characteristics and response to growth hormone therapy in patients with hypochondroplasia: genetic linkage of the insulin-like growth factor I gene at chromosome 12q23 to the disease in a subgroup of these patients: P. E. MULLIS, M. S. PATEL, P. M. BRICKELL, P. C. HINDMARSH and C. G. D. BROOK
- 275 Inter-relations between growth hormone, insulin, insulin-like growth factor-I (IGF-I) and sex hormone-binding globulin in acromegaly: J. M. P. HOLLY, A. M. COTTERILL, R. C. JEMMOTT, D. SHEARS, S. AL-OTHMAN, T. CHARD and J. A. H. WASS
- 281 Effects of growth hormone administration on dehydroepiandrosterone sulphate, androstenedione,

- testosterone and cortisol metabolism during nutritional repletion: T. R. ZIEGLER, R. L. BARBIERI, L. S. YOUNG, E. FERRARI-BALIVIERA and D. W. WILMORE
- 289 *d*-Fenfluramine/prolactin response throughout the menstrual cycle: evidence for an oestrogen-induced alteration: V. O'KEANE, M. O'HANLON, M. WEBB and T. DINAN
- 293 A cluster of male pseudohermaphrodites with 5 α -reductase deficiency in Papua New Guinea: J. IMPERATO-MCGINLEY, M. MILLER, J. D. WILSON, R. E. PETERSON, C. SHACKLETON and D. C. GAJDUSEK
- 299 The effects on anterior pituitary hormone secretion of salmon calcitonin in healthy volunteers: P. J. TRAINER, J. M. W. KIRK, L. MCLOUGHLIN, R. J. TOUZEL, L. PERRY, L. H. REES and G. M. BESSER
- 305 Serum androgens in intensive-care patients: correlations with clinical findings: P. LUPPA, R. MUNKER, D. NAGEL, M. WEBER and D. ENGELHARDT
- 311 Glucose metabolism in patients with Cushing's syndrome: S. B. BOWES, J. J. BENN, I. N. SCOBIE, A. M. UMPLEBY, C. LOWY and P. H. SÖNKESSEN
- 317 **Review** The diagnosis and differential diagnosis of Cushing's syndrome: P. J. TRAINER and A. GROSSMAN
- 331 **Book reviews**
- Volume 34, Number 5, May 1991**
- 335 Skeletal responsiveness to parathyroid hormone in healthy females: relationship to menopause and oestrogen replacement: C. JOBORN, S. LJUNGHALL, K. LARSSON, E. LINDH, T. NAESSÉN, L. WIDE, G. ÅKERSTRÖM and J. RASTAD
- 341 Cognitive abilities in androgen-insensitive subjects: comparison with control males and females from the same kindred: J. IMPERATO-MCGINLEY, M. PICHARDO, T. GAUTIER, D. VOYER and M. P. BRYDEN
- 349 Induction of c-fos and c-myc mRNA expression by immunoglobulin G from patients with Graves' disease in thyrotrophin-dependent rat thyroid cell line (FRTL5): H. HATABU, K. KASAGI, Y. IIDA, T. NOSAKA, T. MISAKI, A. HIDAKA, Y. TOKUDA, K. ENDO, T. MORI, K. LEE, K. TSUBOI, M. HATANAKA and J. KONISHI
- 357 The effect of lithium therapy on parameters thought to be involved in the development of autoimmune thyroid disease: R. WILSON, J. H. MCKILLOP, G. T. CROCKET, C. PEARSON, C. JENKINS, F. BURNS, A. K. BURNETT and J. A. THOMSON
- 363 Histological and biochemical distinctiveness of atypical aldosterone-producing adenomas responsive to upright posture and angiotensin: T. J. TUNNY, R. D. GORDON, S. A. KLEMM and D. COHN
- 371 Physiological growth hormone secretion in adult growth hormone deficiency: comparison with normal controls: H. M. WHITEHEAD, B. AIKEN, S. LEWIS, B. SHERIDAN and D. R. HADDEN
- 377 Phorbol ester, not growth hormone releasing factor, consistently stimulates growth hormone release from somatotroph adenomas in culture: NAOYA EMOTO, EIJI OHMURA, OSAMU ISOZAKI, TOSHIO TSUSHIMA, KAZUO SHIZUME and HIROSHI DEMURA
- 383 HLA Associations with Hashimoto's thyroiditis: N. TANDON, L. ZHANG and A. P. WEETMAN
- 387 Production of calcitonin gene related peptide, calcitonin and PTH-related protein by a prostatic adenocarcinoma: A. SHULKES, D. R. FLETCHER, C. RUBINSTEIN, P. R. EBELING and T. J. MARTIN
- 395 Effects of antibodies against octreotide in two patients with acromegaly: H. ØRSKOV, S. E. CHRISTENSEN, J. WEEKE, A. KAAL and A. G. HARRIS
- 399 Megavoltage pituitary irradiation in the management of prolactinomas: long-term follow-up: S. TSAGARAKIS, A. GROSSMAN, P. N. PLOWMAN, A. E. JONES, R. TOUZEL, L. H. REES, J. A. H. WASS and G. M. BESSER
- 407 Pyridostigmine fails to increase either spontaneous or GHRH-stimulated GH secretion during day or night in growth hormone-insufficient children: J. M. W. KIRK, R. J. M. ROSS, P. J. TRAINER, A. L. J. FROUD, S. C. DAVIES, M. O. SAVAGE and G. M. BESSER
- 413 Effect of low dose iodide supplementation on thyroid function in potentially susceptible subjects: are dietary iodide levels in Britain acceptable?: C. C. CHOW, D. I. W. PHILLIPS, J. H. LAZARUS and A. B. PARKES
- 417 **Review** Wider indications for treatment with biosynthetic human growth hormone in children: P. C. HINDMARSH, N. A. BRIDGES and C. G. D. BROOK
- 429 **Letters to the Editors**
- 433 **Book reviews**

Volume 34, Number 6, June 1991

- 435 Primary localized cutaneous amyloidosis and familial medullary thyroid carcinoma: J. P. FERRER, I. HALPERIN, J. I. CONGET, M. ALSINA, M. J. MARTINEZ-OSABA, J. PALOU, J. A. BOMBI and E. VILARDELL
- 441 Defects in monocyte polarization and dendritic cell clustering in patients with Graves' disease. A putative role for a non-specific immunoregulatory factor related to retroviral p15E: M. TAS, M. DE HAAN-MEULMAN, P. J. KABEL and H. A. DREXHAGE
- 449 Effect of ritanserlin, specific 5HT-2 antagonist, on PRL secretion in normal subjects and in different hyperprolactinaemic conditions: P. FALASCHI, M. ROSA, A. ROCCO, R. D'URSO, A. PROIETTI and G. B. MELIS
- 455 Reproducibility of 24-hour serum growth hormone profiles in man: S. SAINI, P. C. HINDMARSH, D. R. MATTHEWS, P. J. PRINGLE, J. JONES, M. A. PREECE and C. G. D. BROOK
- 463 Plasma growth hormone (GH)-releasing hormone levels in patients with lung carcinoma: J. SCHOPHL, M. LOSA, C. FREY, G. WOLFRAM, R. HUBER, W. PERMANETTER, J. VON PAWEL, O. A. MÜLLER and K. VON WERDER
- 469 Changes in skeletal muscle and body composition after discontinuation of growth hormone treatment in growth hormone deficient young adults: O. M. RUTHERFORD, D. A. JONES, J. M. ROUND, C. R. BUCHANAN and M. A. PREECE
- 477 Effects of gonadotrophin releasing hormone antagonist and agonist on the pulsatile release of gonadotrophins and α -subunit in postmenopausal women: B. COUZINET, N. LAHLOU, G. THOMAS, J. C. THALABARD, P. BOUCHARD, M. ROGER and G. SCHAISON
- 485 Male pseudohermaphroditism due to Leydig cell agenesis and absence of testicular LH receptors: J. MARTÍNEZ-MORA, J. M. SÁEZ, N. TORÁN, R. ISNARD, M. M. PÉREZ-IRIBARNE, J. EGOZCUE and L. AUDI
- 493 Comparison of the effects of ANF 99-126 and ANF 103-126 on captopril-induced renin release in man: C. C. LANG, J. J. MCMURRAY, C. MOYSES and A. D. STRUTHERS
- 501 The presence of cation-dependent proteases for insulin-like growth factor binding proteins does not alter the size distribution of insulin-like growth factors in pregnancy: S. C. DAVIES, J. M. P. HOLLY, V. J. COULSON, A. M. COTTERILL, A. F. ABDULLA, P. G. WHITTAKER, T. CHARD and J. A. H. WASS
- 507 **Current therapy** The treatment of Cushing's syndrome: A. B. ATKINSON
- 515 **Review** The role of oxytocin: present concepts: J. S. JENKINS and S. S. NUSSEY
- 527 **Commentary** Creutzfeld-Jakob disease following treatment with human pituitary hormones: M. A. PREECE
- 531 **Book reviews**
- 533 **Notices**
- 535 Author index to Volume 34
- 541 Subject index to Volume 34

